

# Atala®

E-BIKE 2020



Atala WHISTLE



BOSCH

SHIMANO

YAMAHA

FAZUA

ANZO

ANZO agile

ecologic

# WE ARE ATALA

## NORMATIVA EUROPEA EUROPEAN REGULATION

La Normativa Europea EN15194 nomina le eBike E.P.A.C, Electrically Power Assisted Cycle. Da tale normativa è estrapolato l'Art. 50 del Codice della Strada che contempla le eBike come velocipedi:

"I velocipedi sono i veicoli con due o più ruote funzionanti a propulsione esclusivamente muscolare, per mezzo di pedali o di analoghi dispositivi, azionati dalle persone che si trovano sul veicolo; sono altresì considerati velocipedi le biciclette a pedalata assistita, dotate di un motore ausiliario elettrico avente potenza nominale continua massima di 0,25 kW cioè 250 W la cui alimentazione è progressivamente ridotta ed infine interrotta quando il veicolo raggiunge i 25 km/h o prima se il ciclista smette di pedalare."

Essendo classificate come velocipedi, le eBike sono utilizzabili senza necessità di immatricolazione, assicurazione, targa, patentino, oltre a poterle utilizzare tranquillamente sulle piste ciclabili

*The European Road Regulation EN15194 establishes that eBikes are called also E.P.A.C, Electrically Power Assisted Cycle:*

*"This European Standard is intended to cover electrically power assisted cycles of a type which have a maximum continuous rated power of 0,25 kW, of which the output is progressively reduced and finally cut off as the vehicle reaches a speed of 25 km/h, or sooner, if the cyclist stops pedalling."*

*As they are bicycles, eBikes can be used without any registration, insurance, licence plate and driving licence and they can be used on bicycle lanes.*

E ENDURO  
E ALL MOUNTAIN  
E TRAIL  
E GRAVEL  
E ROAD  
E TREKKING  
E URBAN

# E ENDURO

Pedalare fino alla cima e attaccare velocemente le discese più tecniche alla massima velocità. Le nostre eEnduro sono costruite per le competizioni, ma grazie alle robuste sospensioni, sono agili e divertenti anche sui sentieri vicino a casa.

*Ride to the top and quickly attack the most technical descents at maximum speed. Our eMtb are built for E-Enduro competitions but thanks to the sturdy suspensions, they are agile and fun even on trails near home. Benefit from a finely balanced system that delivers maximum performance for a sporty riding style.*



# E ALL MOUNTAIN

Rocce, radici, alta quota, flow e risparmio della batteria, divertimento assicurato fino alla fine del percorso.

*Rocks, roots, speed, high altitude, flow and battery saving to get to the end of the trail with fun. delivers maximum performance for a sporty riding style.*



# E TRAIL

Percorsi sterrati, salite da affrontare con agilità, discese impegnative. Le nostre eMtb hardtail e full suspended sono perfette per affrontare ogni tipo di trail.

*Dirt paths, agility climbs, demanding descents. Our hardtail and full suspended eMtb are perfect for all types of trails.*



# E GRAVEL

Scegliere i tuoi itinerari senza doverli pianificare, affrontando sia sentieri off-road sia lunghi tratti di asfalto, è possibile con una gravel eBike. Ideale per viaggi avventurosi e perfettamente performante anche in città, la gravel è agile, affidabile e confortevole.

*With a gravel is possible to choose your own routes without planning them, tackle both off-road trails and long stretches of asphalt. Ideal for adventurous trips and perfectly performing even in the city, the gravel is agile, reliable and comfortable.*



# E ROAD

Le nuovissime eRoad con telaio in alluminio e carbonio hanno kit elettrico Fazua per dominare la strada, per affrontare ripide pendenze con minor sforzo.

*The newest eRoad with carbon and aluminium frame is ePowered by Fazua to conquer the road, to face high slopes with less effort.*



# E TREKKING

Stare a contatto con la natura, esplorare, scoprire, combinando il relax con l'esercizio fisico. Solamente la tua eBike rende ogni viaggio più piacevole.

*Being surrounded by nature, discover, explore, combining relax with exercise. Your eBike makes every journey more pleasant.*



# E URBAN

Spostarsi velocemente in città è sempre più difficile: strade intasate, metro affollatissime, treni in ritardo fanno ormai parte del passato. L'eBike ti permette questo e molto altro, diventando parte integrante della mobilità urbana.


*Moving quickly in the city is more and more difficult: congested streets, stuffy subways, train delays. Not any more. The eBike makes commuting easier, becoming an essential part of urban mobility.*



# E ENDURO

Pedalare fino alla cima e attaccare velocemente le discese più tecniche alla massima velocità. Le nostre eEnduro sono costruite per le competizioni, ma grazie alle robuste sospensioni, sono agili e divertenti anche sui sentieri vicino a casa.

*Ride to the top and quickly attack the most technical descents at maximum speed. Our eMtb are built for E-Enduro competitions but thanks to the sturdy suspensions, they are agile and fun even on trails near home.*



# B-RUSH ENDURO SLS

## I TECHNOLOGIES

Estetica, funzionalità e prestazioni. Massimo controllo in discesa grazie alla geometria raccolta, pedalabilità in salita assicurata dall'assistenza elettrica. Il rocker di fissaggio di tipo Trunnion dell'ammortizzatore consente una migliore sovrapposizione degli steli e l'ottimizzazione dell'idraulica per garantire un grip superiore della ruota posteriore.

*Aesthetics, functionality and performance. Maximum downhill control thanks to the collected geometry, uphill pedaling guaranteed by electrical assistance. The Trunnion-type rocker of the shock absorber allows a better overlapping of the stems and the optimization of the hydraulic system to ensure a superior grip of the rear wheel.*

### GRAVITY REMOVABLE BATTERY



La batteria è facilmente removibile dal basso liberando lo spazio per il portaborraccia. Uno schermo protettivo in polipropilene protegge il telaio da sassi e fango.

*The battery is easily removable from below, freeing up space for the bottle cage. A protective polypropylene screen protects the frame from stones and mud.*

### INTERNAL ROUTING TECHNOLOGY



Tutti i cavi e i fili all'interno del carro posteriore, creando un telaio dall'aspetto pulito e elegante.

*Creates a clean looking bike by routing all cables and wires inside the chain stay.*

### SHOCK SHIELD



Scudo anti urto che protegge l'ammortizzatore, il motore, il telaio e la batteria da acqua, polvere, fango e detriti.

*Shock shield that protects the shock absorber, the engine, the frame and the battery from water, dust, mud and debris.*

### REVERSE SHOCK



Montaggio invertito dell'ammortizzatore con lo scopo di migliorare il bilanciamento dei pesi della bici e garantire una migliore guidabilità.

*Reverse shock absorber with the aim of improving the balance of the bike's weights, guaranteeing a better bike handling.*

SOSPENSIONE A 4 BARRE  
BAR SUSPENSION



INTERFACCIA FORGIATA CON TECNOLOGIA 3D  
GRAVITY CASTING INTEGRATED INTERFACE



PERNO PASSANTE BOOST  
BOOST ETHRAX AXLE



BATTERIA INTEGRATA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE



RUOTE 29"  
29" WHEELS



150MM DI ESCURSIONE  
150MM OF TRAVEL



## 1 FORCELLA FACTORY FOX

Gli steli dorati sono la caratteristica della linea Factory. Dettaglio non solo estetico, ma è un processo di lavorazione che riveste con un film di disolfuro di molibdeno, per ridurre gli attriti, aumentare la scorrevolezza e più resistenza alle abrasioni.

*The golden colored stems are the characteristic of Factory line. It is not solely aesthetic, but represents a manufacturing process that covers the stems with a molybdenum disulfide film, with the aim of reducing friction, increasing smoothness and offering greater resistance to abrasion.*

## 2 RUOTE XT

Canale interno da 30 mm per ospitare coperture di dimensioni maggiorate riducendo le deformazioni della carcassa. Cerchio con offset per garantire il bilanciamento delle forze.

*30 mm internal width to assemble bigger tyres, reducing ply deformations. Offset rim to ensure stress balance. Aim of reducing friction, increasing smoothness and offering greater resistance to abrasion.*

## 3 DROPPER TELESCOPICO RACE FACE

Soluzione economica ma solida. Un sistema di smorzamento sigillato avvolto in alluminio 7075 lo rende leggero e in grado di sopportare i colpi. Passaggio dei cavi interno con il design del telaio.

*A budget friendly but solid option. A sealed damping system wrapped in 7075 aluminium makes for a lightweight dropper that can take the hits. Internal cable routing compatible for modern frame design.*

**WHISTLE**

# B-RUSH ENDURO SLS

**BOSCH**

- PERFORMANCE CX CRUISE
- POWERTUBE 625
- KIOX
- 12 S



**FRAME** Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm, Gravity casting interface

**FORK** Fox 36 Float Factory, 160 mm, FIT4, 15x110 mm, Air, Tapered, 3Pos-Adj, Kashima, E-Bike chassis

**REAR SHOCK** Fox Float DPX2 Performance, EVOL, LV, 3Pos, 205x65 mm

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** Miche Black Box, 34T

**REAR DERAILLEUR** Shimano XT RD-M8100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano XT SL-M8100 Rapidfire-Plus, 12s

**BRAKES** Shimano XT BR-M8120, Four piston, Rotor SM-MT800 203 mm/203 mm

**CASSETTE** Shimano CS-M7100 12s 10/51

**PEDALS** Alu MTB Full

**WHEELS** Shimano XT WH-M8120

**STEM** Race Face Chester, 40 mm, Bar bore 35 mm

**HANDLEBAR** Race Face Chester, 780 mm

**SEATPOST** Race Face Aeffect R, 31,6 mm, remote

**SADDLE** Fizik Taiga

**TYRES** Schwalbe Hans Dampf, 29"x2,4"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype, weight 3,5 kg

**CHARGER TYPE** 6 A

**CHARGE TIME** Up to 4 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** KIOX

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ANTHRACTITE/BLACK/RED MATT**

16" - 40 cm 0116821100

17" - 43 cm 0116821110

18" - 46 cm 0116821120

6749€

**WHISTLE**

# B-RUSH ENDURO SL

**BOSCH**

- PERFORMANCE CX CRUISE
- POWERTUBE 625
- PURION
- 12 S



**FRAME** Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm, Gravity casting interface

**FORK** Fox 36 Float Rhythm, 160 mm, Grip, 15x110 mm, Air, Tapered, Sweep-Adj, E-Bike chassis

**REAR SHOCK** Fox Float DPX2 Performance, EVOL, LV, 3Pos, 205x65 mm

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano XT RD-M8100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano XT SL-M8100 Rapidfire-Plus, 12s

**BRAKES** Shimano SLX BR-M7120, Four piston, Rotor SM-RT70 203 mm/203 mm

**CASSETTE** Shimano CS-M7100 12s 10/51

**PEDALS** Alu MTB Full

**WHEELS** Shimano XT WH-MT620

**STEM** Race Face Chester, 40 mm, Bar bore 35 mm

**HANDLEBAR** Race Face Chester, 780 mm

**SEATPOST** Race Face Aeffect R, 31,6 mm, remote

**SADDLE** Fizik Taiga

**TYRES** Schwalbe Hans Dampf, 29"x2,4"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype, weight 3,5 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ANTHRACTITE/BLACK/RED MATT**

16" - 40 cm 0116821200

17" - 43 cm 0116821210

18" - 46 cm 0116821220

5699€

# B-RUSH


*powered by* **BOSCH**



# E ALL MOUNTAIN

Rocce, radici, alta quota, flow e risparmio della batteria, divertimento assicurato fino alla fine del percorso.

*Rocks, roots, speed, high altitude, flow and battery saving to get to the end of the trail with fun.*



# B-RUSH ALL SLS

## I TECHNOLOGIES

Salita e discesa allo stesso livello. Il telaio da All Mountain è stato progettato nelle forme e nella geometria per garantire il massimo equilibrio prestazionale, sia nella pedalabilità in salita, sia nella velocità in discesa. Meno estremo dell'enduro, permette di affrontare lunghe salite senza sforzo e discese tecniche in sicurezza.

*Uphill and downhill to the same performance level. The All Mountain frame has been designed in shape and geometry to ensure maximum performance balance, both in uphill pedaling and in downhill speed. Less extreme than enduro, it allows you to tackle long climbs without effort and technical descents in safety.*

### GRAVITY REMOVABLE BATTERY



La batteria è facilmente removibile dal basso liberando lo spazio per il portaborraccia. Uno schermo protettivo in polipropilene protegge il telaio da sassi e fango.

*The battery is easily removable from below, freeing up space for the bottle cage. A protective polypropylene screen protects the frame from stones and mud.*

### INTEGRATED SPEED SENSOR



*Sensore integrato nel carro con magnete sul disco.*

*Sensor integrated in the carriage with magnet on the disc.*

### COOLING DRIVE PACK ARMOR



*Il motore è equipaggiato con una cover protettiva, evitando il declassamento della potenza.*

*The engine is equipped with a protective cover, avoiding power downgrading.*

### RANGE EXTENDER OPTION



Opzione di batteria da 400 Wh in più per aumentare l'autonomia di oltre il 60%.

*Extra range of 400 Wh battery to increase the autonomy by over 60%.*

SOSPENSIONE A 4 BARRE  
BAR SUSPENSIONINTERFACCIA FORGIATA CON TECNOLOGIA 3D  
GRAVITY CASTING INTEGRATED INTERFACEPERNO PASSANTE BOOST  
BOOST ETHRU AXLEBATTERIA INTEGRATA AL TELAIO  
BATTERY INSIDE THE DOWNTUBERUOTE 29/27,5 PLUS  
29/27,5 PLUS WHEELS150MM DI ESCURSIONE  
150MM OF TRAVEL**1 FORCELLA  
35 ROCK SHOX**

Maggior rigidezza e precisione di guida. La molla pneumatica DebonAir™ riduce l'attrito da ogni singola parte in movimento, migliorando l'assorbimento degli urti e la risposta sotto carico e riducendo l'affaticamento del ciclista.

*Added stiffness and steering precision. DebonAir™ air spring reduces friction from every single moving part, improving bump absorption and response under load, and drastically reducing rider fatigue.*

**2 RUOTE XT**

La pinza a 4 pistoni garantisce maggiore superficie di contatto, mantenendo compatte le dimensioni. Aumento del 50% della potenza frenante e della modularità.

*The 4-piston brake ensures greater contact surface, while maintaining compact dimensions. 50% braking power and scalability increased.*

**3 REAR SHOCK FOX VAN PERFORMANCE**

Grazie alle regolazioni del precarico in compressione, ritorno e molla elicoidale, può essere impostato in tempo reale per il percorso, per spingere al limite con la massima sicurezza, indipendentemente dal terreno.

*Featuring compression, rebound and coil spring preload adjustments, you can set it for the route at hand, letting you push every ride to the limit with the utmost confidence, no matter the terrain.*

**WHISTLE**

# B-RUSH ALL SLS

**BOSCH**

⚙ PERFORMANCE CX CRUISE  
 ⚡ POWERTUBE 625  
 ☐ PURION  
 29 12 S



**FRAME** Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm, Gravity casting interface

**FORK** Rock Shox 35 Gold RL, 150 mm, Maxle Lite 15x110 mm, DebonAir, Motion Control, Tapered, Lockout

**REAR SHOCK** Fox Van Performance, 205x65 mm

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano XT RD-M8100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7100 Rapidfire-Plus, 12s

**BRAKES** Shimano BR-MT520, Four piston, Rotor SM-RT30 203 mm/203 mm

**CASSETTE** Shimano CS-M7100 12s 10/51

**PEDALS** Alu MTB Full

**WHEELS** Shimano XT WH-MT620

**STEM** Alu Oversize, 35 mm, Bar bore 31,8 mm

**HANDLEBAR** Rise Alu Oversize, 780 mm

**SEATPOST** KindShock E20i, 31,6 mm, remote

**SADDLE** Fizik Taiga

**TYRES** Schwalbe Hans Dampf, 29"x2,4"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype, weight 3,5 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**BLACK/ANTHR./GREEN MATT**

16" - 40 cm 0116821300

17" - 43 cm 0116821310

18" - 46 cm 0116821320

**5299€**

**WHISTLE**

# B-RUSH ALL SL

**BOSCH**

- PERFORMANCE CX CRUISE
- POWERTUBE 625
- PURION
- 12 S



**FRAME** Alu, 29", hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm, Gravity casting interface

**FORK** Rock Shox Recon RL, 150 mm, Maxle Lite 15x110 mm, SoloAir, Motion Control, Tapered, Lockout

**REAR SHOCK** Rock Shox Deluxe Select R, Debonair, 205x65 mm

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano SLX RD-M7100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7100 Rapidfire-Plus, 12s

**BRAKES** Tektro HD-M745, Four piston, Rotor 203 mm/203 mm

**CASSETTE** Shimano CS-M7100 12s 10/51

**PEDALS** Alu MTB Full

**WHEELS** Shimano XT WH-MT501

**STEM** Alu Oversize, 35 mm, Bar bore 31,8 mm

**HANDLEBAR** Rise Alu Oversize, 780 mm

**SEATPOST** KinkShock E20i, 31,6 mm, remote

**SADDLE** Fizik Taiga

**TYRES** Continental Trail King II, 29x2,4

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype, weight 3,5 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ORANGE/BLACK/WHITE MATT**

16" - 40 cm 0116821500

17" - 43 cm 0116821510

18" - 46 cm 0116821520

4849€

**WHISTLE**

# B-RUSH ALL S

**BOSCH**

⚙ PERFORMANCE CX CRUISE  
 ⚡ POWERTUBE 625  
 ⚡ PURION  
 29 27.5 12S



**FRAME** Alu, 27,5"+, hydroformed, integrated battery, tapered, Rear travel 150 mm, 12x148 mm, Gravity casting interface

**FORK** Suntour XCR34, 140 mm, 15x110 mm, Air, Tapered, Lockout

**REAR SHOCK** Rock Shox Deluxe Select R, Debonair, 205x65 mm

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Sram SX Eagle

**SHIFTERS LEVERS** Sram SX Eagle Single Click Trigger, 12s

**BRAKES** Tektro HD-M745, Four piston, Rotor 203 mm/203 mm

**CASSETTE** Sram PG1210 Eagle 12s, 11/50

**PEDALS** Alu MTB Full

**HUBS** Shimano Alivio MT400, 15x110 mm/12x148 mm, CL, 32h

**RIMS** F: Rodi Tryp25, 25x622 - R: Rodi Tryp35, 35x584 - 32h, eBike ready

**STEM** Alu Oversize, 35 mm, Bar bore 31,8 mm

**HANDLEBAR** Rise Alu Oversize, 780 mm

**SEATPOST** KindShock ETEN-i, 31,6 mm, remote

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Nobby Nic, F: 29"x2,35" - R: 27,5"x2,8"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype, weight 3,5 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**BLACK/ANTHR./GREEN MATT**

16" - 40 cm 0116821600

17" - 43 cm 0116821610

18" - 46 cm 0116821620

3799€

# WHISTLE SHOW

SHIMANO

- STEPS E8000
- SNAKE 500
- SC-E8000
-  11 S



**FRAME** Alu 27,5"+, hydroformed, Integrated battery, tapered, Rear travel 140 mm, 12x148 mm, Gravity casting interface

**FORK** Fox 34 Float Rhythm, 140 mm, 15x110 mm, Air, Tapered, Lockout

**REAR SHOCK** Fox Float DPS Performance EVOL, 210x55 mm

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** Shimano FC-E8000, 34T

**REAR DERAILLEUR** Shimano XT RD-M8000 GS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7000 Rapidfire-Plus, 11s

**BRAKES** Shimano Deore BR-M6000, Rotor SM-RT64 203 mm/203 mm

**CASSETTE** Shimano CS-M7000 11s 11/46

**PEDALS** Alu MTB Full

**HUBS** Shimano Alivio MT400, 15x110 mm/12x148 mm, CL, 32h

**RIMS** Rodi Tryp35, 27,5", 32h, eBike ready

**STEM** Kyte Alu Oversize, 35 mm, Bar bore 31,8 mm

**HANDLEBAR** Kye Rise Alu Oversize, 780

**SEATPOST** KindShock E20i, 31,6 mm, remote

**SADDLE** Selle Royal Verve

**TYRES** Schwalbe Smart Sam 27,5"x2,60"

**MOTOR** E8000, 36 V, 250 W

**MAX TORQUE** 70 Nm

**SENSOR TYPE** Torque

**BATTERY** Simplo 500 Wh, in-type

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** SC-E8000

**POWER** Eco: 70 %

Trail: 180 %

Boost: 300 %

**YELLOW/BLACK**

16,5" - 42 cm 0116804500

18" - 46 cm 0116804510

20" - 50 cm 0116804520


4679€



# |E TRAIL

Percorsi sterrati, salite da affrontare con agilità, discese impegnative. Le nostre eMtb hardtail sono perfette per affrontare ogni tipo di trail.

*Dirt paths, agility climbs, demanding descents. Our hardtail eMtbs are perfect for all types of trails.*



# FLAME

## I TECHNOLOGIES

Il telaio perfetto per il cross country veloce. Geometria del telaio sviluppata per una perfetta stabilità, studiata per mantenere il busto disteso, migliorare la spinta sui pedali e l'efficienza aerodinamica.

*The perfect frame for fast cross country. Geometry developed to improve stability, designed to keep the torso relaxed, to improve the power on pedals and aerodynamic efficiency.*

### CARBON MONOCOQUE FRAME



I componenti grandi del telaio (come il triangolo anteriore) sono formati da un unico pezzo integrale. Questa struttura unificata distribuisce lo stress dinamico su una porzione più ampia della monoscocca. Sottoposto a stress minori a parità di rigidità, il telaio è più leggero.

*Large components of the frame (like the front triangle) are formed as a single integral piece, this unified structure distributes dynamic stress over a wider portion of the monocoque. Subjected to minor stresses with the same rigidity, the frame is lighter.*

### INTERNAL ROUTING TECHNOLOGY



Tutti i cavi e i fili all'interno del carro posteriore, creando un telaio dall'aspetto pulito e elegante.

*Creates a clean looking bike by routing all cables and wires inside the chain stay.*

### COOLING DRIVE PACK ARMOR



Il motore è equipaggiato con una cover protettiva, evitando il declassamento della potenza.

*The engine is equipped with a protective cover, avoiding power downgrading.*

### GRAVITY REMOVABLE BATTERY



La batteria è facilmente removibile dal basso liberando lo spazio per il portaborraccia. Uno schermo protettivo in polipropilene protegge il telaio da sassi e fango.

*The battery is easily removable from below, freeing up space for the bottle cage. A protective polypropylene screen protects the frame from stones and mud.*

CARBONIO MONOSCOPA  
MONOCOQUE CARBON



ATTACCO PINZA POST MOUNT  
POST MOUNT BRAKE BRACKET



PASSAGGIO CAVI INTERNO  
INTERNAL CABLE ROUTING



BATTERIA INTEGRATA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE



RUOTE 29  
29 WHEELS



PERNO PASSANTE BOOST  
BOOST ETHRAX AXLE



## 1 FORK FOX 32 STEP CAST PERFORMANCE

Ottimizzata per 100 mm di corsa, il design del braccio inferiore Step-Cast e la distanza ridotta della piastra ne riduce il peso, mentre i tubi superiori da 32 mm mantengono la qualità di guida di FOX. È la forcella cross-country più leggera di sempre.

*Optimized for 100 mm of travel, the Step-Cast lower leg design and narrow crown spacing save weight while the 32 mm upper tubes maintain FOX ride quality. The fork is our lightest cross-country fork ever.*

## 2 SHIMANO XT 8100 GROUP SET

Gruppo di alta gamma, dotato di sistema di trasmissione avanzato HYPERGLIDE+ per continuare a pedalare mentre si esegue la cambiata e con un accesso alla leva più rapido per migliorare la concentrazione.

*High-end groupset by Shimano, equipped by HYPERGLIDE+ transmission system to continue pedalling during shifting and with quicker shifter operation to improve focus on the track.*

## 3 BLACK CHILI COMPOUND TYRES

La mescola BlackChili consente prestazioni veramente straordinarie. I pneumatici hanno il 26% di resistenza al rotolamento in meno, una presa maggiore del 30% e un aumento del 5% del chilometraggio.

*This compound is based on the latest findings on polymer and other raw material research. BlackChili tyres have 26% less rolling resistance, a 30% higher friction value (grip) and a 5% increase in mileage.*

# WHISTLE FLAME

 FAZUA

EVATION 1.0  
EVATION 255 WH  
LED  
12 S



E TRAIL

**FRAME** Carbon monocoque, Post mount disc brake bracket, tapered, 12x148 mm

**FORK** Fox 32 Step Cast Performance, 120 mm, Grip, 15x110 mm, Air, Tapered, 3Pos-Adj, Lockout

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano XT RD-M8100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano XT SL-M8100 Rapidfire-Plus, 12s

**BRAKES** Shimano XT BR-M8100, Rotor SM-MT800 180 mm/180 mm

**CASSETTE** Shimano CS-M8100 12s 10/51

**WHEELS** Shimano XT WH-MT620

**STEM** Race Face Ride, Bar bore 35 mm

**HANDLEBAR** Race Face Ride, 760 mm

**SEATPOST** Race Face Ride, 30,9 mm x 400 mm

**SADDLE** Selle Royal Rampage

**TYRES** Continental Race King, Black Chili Compound, 29"x2,2"

5299€

**MOTOR** Fazua 36V, 250W

**MAX TORQUE** 60 Nm

**SENSOR TYPE** Torque

**BATTERY** Fazua Evation 255 Wh, weight 1,38 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 4 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY LED**

**POWER** Breeze: 75 %

River: 150 %

Rocket: 240 %

**BLACK GLOSS/BLACK MATT**

16,5" - 42 cm 0116822200

18" - 46 cm 0116822210

20" - 50 cm 0116822220

# B-RACE S

## I TECHNOLOGIES

Derivato direttamente dal bi-ammortizzato, il telaio hardtail utilizza la stessa tecnologia per integrare la batteria, riducendo le dimensioni dell'apertura per massimizzare la rigidità e spostando il tasto di accensione del sistema sul tubo orizzontale, per maggiore comodità. La presa di collegamento del caricabatterie è stata posizionata direttamente sull'interfaccia motore.

*Directly derived from the full suspended, the hardtail frame uses the same technology to integrate the battery into the diagonal tube, reducing the size of the opening to maximize stiffness and moving the power button on the top tube for maximum comfort. The charger connection socket has been positioned directly on the engine interface.*

### NEW FORGED INTERFACE



La nuova interfaccia forgiata garantisce maggior rigidità per un trasferimento della potenza più efficiente.

*The new forged interface guarantees greater rigidity for more efficient power transfer.*

### POWERTUBE 600WH READY



Compatibile con portfolio batterie integrate Bosch.

*Compatible with Bosch integrated battery portfolio.*

### SEAT TUBE CHARGE PORT



Ottimizzazione della geometria per una pedalata più efficace, accorciando l'orizzontale virtuale, spostando la presa di ricarica della batteria integrata sul tubo sella.

*Geometry optimization for a more effective pedaling, shortening the virtual horizontal and moving the integrated battery charge port on the seat tube.*

### COOLING DRIVE PACK ARMOR



Il motore è equipaggiato con una cover protettiva, evitando il declassamento della potenza.

*The engine is equipped with a protective cover, avoiding power downgrading.*

BATTERIA INTEGRATA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE



RUOTE 29/27,5 PLUS  
29/27.5 PLUS WHEELS



INTERFACCIA FORGIATA  
FORGED INTERFACE



## 1 SRAM SX EAGLE

Il nuovo deragliatore SX Eagle è equipaggiato dalla tecnologia SRAM 1x X-HORIZON e facilita il passaggio tra i pignoni sulla cassetta 11-50, garantendo performance silenziose, consistenti e durevoli nel tempo.

*The new SX Eagle derailleur features the proven SRAM 1x-specific X-HORIZON™ design and easily facilitates 11- to 50-tooth cassette capacity, providing quiet, consistent performance and durability.*

## 2 TEKTRO FOUR PISTON

La miglior superficie della pastiglia garantisce non solo una potenza frenante maggiore ma anche una migliore modulabilità.

*Bigger braking pads equals to a high braking performance as well as an improved braking force modulable.*

## 3 RACING GEOMETRY

Spinotto di ricarica posizionato sul tubo sella al fine di garantire una minor lunghezza del tubo orizzontale per una bici più reattiva nei tratti più tecnici.

*Charging plug positioned on the seat tube in order to guarantee a shorter length of the horizontal tube for a more reactive bike in technical sections.*

**WHISTLE**

# B-RACE SL

**BOSCH**

⚙ PERFORMANCE CX CRUISE

⚡ POWERTUBE 625

◻ PURION

⌚ 12 S



**FRAME** Alu 29", hydroformed, integrated battery, tapered, Internal routing,  
Forged interface

**FORK** Suntour XCR32, 120 mm, 15x110 mm, Coil, Tapered, Lockout

**HEADSET** FSA No.57B tapered 1"1/2

**CRANKSET** FSA Miche 34T

**REAR DERAILLEUR** Shimano XT RD-M8100 SGS, Shadow Plus

**SHIFTERS LEVERS** Shimano SLX SL-M7100 Rapidfire-Plus, 12s

**BRAKES** Shimano SLX BR-M7120, Four piston, Rotor SM-RT64 203 mm/180 mm

**CASSETTE** Shimano CS-M7100 12s 10/51

**PEDALS** Alu MTB

**HUBS** Shimano Alivio MT400, 15x110 mm/MT500, 12x148 mm, CL, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Alu, Bar bore 31,8 mm

**HANDLEBAR** Alu Low Rise, 720 mm

**SEATPOST** Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype,  
weight 3,5 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 9 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ANTHR/WHITE/BLACK MATT**

16" - 40 cm 0116822300

18" - 46 cm 0116822310

20" - 50 cm 0116822320

**WHISTLE**

# B-RACE S

**BOSCH**

⚙ PERFORMANCE CX CRUISE  
 ⚡ POWERTUBE 625  
 ⚡ PURION  
 29 12 S



E TRAIL

**FRAME** Alu 29", hydroformed, integrated battery, tapered, Internal routing,

Forged interface

**FORK** Suntour XCM LO, 100 mm, Coil, Lockout**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer**CRANKSET** FSA, Miche 34T**REAR DERAILLEUR** Sram SX Eagle**SHIFTERS LEVERS** Sram SX Eagle Single Click Trigger, 12s**BRAKES** Tektro HD-M745, Four piston, Rotor 203 mm/180 mm**CASSETTE** Sram PG1210 Eagle 12s, 11/50**PEDALS** Alu MTB**HUBS** Shimano M475, INT, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Alu, Bar bore 31,8 mm**HANDLEBAR** Alu Low Rise, 720 mm**SEATPOST** Alu 31,6 mm**SADDLE** Selle Royal Sauris**TYRES** F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"**MOTOR** Performance CX 36 V, 250 W**MAX TORQUE** 75 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 625 Horizontal, frametype,  
weight 3,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 9 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**BLACK/WHITE/RED MATT**

16" - 40 cm 0116822400

18" - 46 cm 0116822410

20" - 50 cm 0116822420

**WHISTLE**

# B-RACE 600

**BOSCH**

⚙ PERFORMANCE CX CRUISE

⚡ POWERTUBE 625

◻ PURION

29 9 S



**FRAME** Alu 29", hydroformed, integrated battery, tapered, Internal routing,  
Forged interface

**FORK** Suntour XCM, 100 mm, Coil

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Alu, Bar bore 31,8 mm

**HANDLEBAR** Alu Low Rise, 720 mm

**SEATPOST** Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

**MOTOR** Performance CX 36 V, 250 W

**MAX TORQUE** 75 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 625 Horizontal, frametype,  
weight 3,5 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 9 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ANTHR./WHITE/BLACK MATT**

16" - 40 cm 0116822450

18" - 46 cm 0116822460

20" - 50 cm 0116822470

2999€

**Atala**

# B-CROSS

**BOSCH**

⚙ PERFORMANCE CX CRUISE

⚡ POWERTUBE 500

◻ PURION

275+ 9 S



E TRAIL

**FRAME** Alu 27,5"+, hydroformed, integrated battery, tapered, Internal routing,

Forged interface

**FORK** Suntour XCM, 100 mm, Coil**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer**CRANKSET** FSA Miche 34T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu MTB**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x584, 32h, eBike ready**STEM** Alu, Bar bore 31,8 mm**HANDLEBAR** Alu Low Rise, 720 mm**SEATPOST** Alu 31,6 mm**SADDLE** Selle Royal Sauris**TYRES** Schwalbe Smart Sam 27,5"x2,6"**MOTOR** Performance CX 36 V, 250 W**MAX TORQUE** 75 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 500 Horizontal, frametype,  
weight 2,9 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 7,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ULTRALIGHT/ANTHR./BLACK**

16" - 40 cm 0115286100

18" - 46 cm 0115286110

20" - 50 cm 0115286120

**2799€**

**WHISTLE**

# B-RACE CX 500

**BOSCH**

- PERFORMANCE CX CRUISE
- POWERPACK 500
- PURION
- 29 9 S



FRAME Alu 29", hydroformed, custom tubing, Internal Routing, Forged interface

FORK Suntour XCM, 100 mm, Coil

HEADSET FSA No.57BP ZS-1 for 1"1/8 steerer

CRANKSET FSA, Miche 34T

REAR DERAILLEUR Shimano Altus RD-M2000 SGS, Shadow

SHIFTERS LEVERS Shimano Altus SL-M2010 Rapidfire, 9s

BRAKES Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

CASSETTE Shimano CS-HG200 9s 11/36

PEDALS Alu MTB

HUBS Shimano TX505, CL, 32h

RIMS Rodi Blackrock23, 23x622, 32h, eBike ready

STEM Alu, Bar bore 31,8 mm

HANDLEBAR Alu Low Rise, 720 mm

SEATPOST Alu 31,6 mm

SADDLE Selle Royal Sauris

TYRES F: Schwalbe Tough Tom, R: Schwalbe Rapid Rob, 29"x2,25"

2499€

MOTOR Performance CX 36 V, 250 W

MAX TORQUE 75 Nm

SENSOR TYPE Torque

BATTERY Powerpack 500, frametype,  
weight 2,6 kg

CHARGER TYPE 2 A

CHARGE TIME Up to 7,5 hours

MAX ASSISTED SPEED 25 km/h

DISPLAY PURION

POWER Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

ANTHR./BLACK/GREEN MATT	ORANGE/BLACK/WHITE MATT
16" - 40 cm 0116822500	16" - 40 cm 0116822503
18" - 46 cm 0116822510	18" - 46 cm 0116822513
20" - 50 cm 0116822520	20" - 50 cm 0116822523

**Atala**

# B-CROSS CX 500



E TRAIL

**FRAME** Alu 27,5"+, hydroformed, custom tubing, Internal Routing, Forged interface**FORK** Suntour XCM, 100 mm, Coil**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer**CRANKSET** FSA, Miche 34T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/36**PEDALS** Alu MTB**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x584, 32h, eBike ready**STEM** Alu, Bar bore 31,8 mm**HANDLEBAR** Alu Low Rise, 720 mm**SEATPOST** Alu 31,6 mm**SADDLE** Selle Royal Sauris**TYRES** Continental Mountain King 27,5"x2,4"**MOTOR** Performance CX 36 V, 250 W**MAX TORQUE** 75 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 500, frametype,  
weight 2,6 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 7,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**ULTRALIGHT/RED/BLACK****BLACK/NEON GREEN/WHITE MATT**

16" - 40 cm 0115286200 16" - 40 cm 0115286203

18" - 46 cm 0115286210 18" - 46 cm 0115286213

20" - 50 cm 0115286220 20" - 50 cm 0115286223

**2499€**

# WHISTLE

# YONDER

 YAMAHA

PW-ST  
500 WH  
DISPLAY A  
29 9 S



**FRAME** Alu 29", hydroformed, custom tubing, Internal Routing, Forged interface

**FORK** Suntour XCM, 100 mm, Coil

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** FSA, Miche 34T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/36

**PEDALS** Alu MTB

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Alu, Bar bore 31,8 mm

**HANDLEBAR** Alu Low Rise, 720 mm

**SEATPOST** Alu 31,6 mm

**SADDLE** Selle Royal Sauris

**TYRES** Schwalbe Smart Sam 29"x2,25"

**MOTOR** PW-ST, 36 V, 250 W

**MAX TORQUE** 70 Nm, 80 Nm peak

**SENSOR TYPE** Torque

**BATTERY** Yamaha 500 Wh, frametype, weight 3,0 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 4 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** Display A

**POWER** Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

**BLACK/RED/WHITE MATT**

16" - 40,5 cm 0116822600

18" - 46 cm 0116822610

20" - 51,5 cm 0116822620

2399€

**Atala**

# B-CROSS CX 400

**BOSCH**

⚙ PERFORMANCE CX CRUISE

⚡ POWERPACK 400

◻ PURION

75° 9 S



E TRAIL

FRAME Alu 27,5"+, hydroformed, custom tubing, Internal Routing, Forged interface

FORK Suntour XCM, 100 mm, Coil

HEADSET FSA No.57BP ZS-1 for 1"1/8 steerer

CRANKSET FSA, Miche 34T

REAR DERAILLEUR Shimano Altus RD-M2000 SGS, Shadow

SHIFTERS LEVERS Shimano Altus SL-M2010 Rapidfire, 9s

BRAKES Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

CASSETTE Shimano CS-HG200 9s 11/36

PEDALS Alu MTB

HUBS Shimano TX505, CL, 32h

RIMS Rodi Blackrock23, 23x584, 32h, eBike ready

STEM Alu, Bar bore 31,8 mm

HANDLEBAR Alu Low Rise, 720 mm

SEATPOST Alu 31,6 mm

SADDLE Selle Royal Sauris

TYRES Continental Mountain King 27,5"x2,4"

MOTOR Performance CX 36 V, 250 W

MAX TORQUE 75 Nm

SENSOR TYPE Torque

BATTERY Powerpack 400, frametype, weight  
2,5 kg

CHARGER TYPE 2 A

CHARGE TIME Up to 6,5 hours

MAX ASSISTED SPEED 25 km/h

DISPLAY PURION

POWER Eco: 60 %

Tour: 140 %

EMTB: 140 / 340 %

Turbo: 340 %

BLACK/NEON GREEN/WHITE MATT

ULTRALIGHT/RED/BLACK

16" - 40 cm 0115286300 16" - 40 cm 0115286303

18" - 46 cm 0115286310 18" - 46 cm 0115286313

20" - 50 cm 0115286320 20" - 50 cm 0115286323

2199€

**Atala**

# B-CROSS i AM80 500

**AM80**  
 ☰ AM-80  
 ☺ ENERGYTUBE 500  
 ☐ AM LCD  
 ⚡ 9 S



E TRAIL

---

**FRAME** Alu 27,5"+, hydroformed, integrated battery, Internal Routing, Forged interface

---

**FORK** Suntour XCM 100 mm

---

**HEADSET** FSA No.10, semi-integrated, 1"1/8

---

**CRANKSET** FSA, Miche 34T

---

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

---

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

---

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

---

**CASSETTE** Shimano CS-HG200 9s 11/36

---

**PEDALS** Alu MTB

---

**HUBS** Shimano TX505, CL, 32h

---

**RIMS** Rodi Blackrock23, 23x584, 32h, eBike ready

---

**STEM** Alu, Bar bore 31,8 mm

---

**HANDLEBAR** Alu Low Rise, 720 mm

---

**SEATPOST** Alu 31,6 mm

---

**SADDLE** Selle Royal Sauris

---

**TYRES** Schwalbe Smart Sam 27,5"x2,6"

---

**MOTOR** AM-80 36 V, 250 W

---

**MAX TORQUE** 80 Nm

---

**SENSOR TYPE** Torque

---

**BATTERY** EnergyTube 500, frametype, weight  
2,9 kg

---

**CHARGER TYPE** 2 A

---

**CHARGE TIME** up to 7 hours

---

**MAX ASSISTED SPEED** 25 km/h

---

**DISPLAY** AM LCD

---

**POWER** Mode 1: 50%

---

 Mode 2: 100%

---

 Mode 3: 200%

---

 Mode 4: 300%

---

 Mode 5: 400%

---

**BLACK/SILVER/NEON RED MATT**


---

 16,5" - 42 cm 0115286800 16,5" - 42 cm 0115286830

---

 18" - 46 cm 0115286810 18" - 46 cm 0115286840

---

 20" - 50 cm 0115286820 20" - 50 cm 0115286850

**1949€**

**Atala**

# YOUTH LITE PW KID



**FRAME** Alu 27,5", custom tubing, tapered, Internal routing, Forged interface

**FORK** Suntour XCT-DS, 100 mm

**HEADSET** FSA No.57BP ZS-1 for 1"1/8 steerer

**CRANKSET** Fsa, 38T

**REAR DERAILLEUR** Shimano Altus RD-M370 SGS

**SHIFTERS LEVERS** Shimano Altus SL-M370, Rapidfire, 9s

**BRAKES** Shimano BR-M315, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG300 9s 12/36

**PEDALS** Alu MTB

**HUBS** Shimano TX505, CL, 32h

**RIMS** Ryde, 27,5", 32h

**STEM** Byte Alu Oversize, 60 - 75 - 90 mm

**HANDLEBAR** Byte Rise Alu Oversize, 720 mm

**SEATPOST** Byte Alu 31,6 mm

**SADDLE** Selle Royal Mach

**TYRES** Kyte Manghen 27,5"x2,25"

**MOTOR** PW, 36 V, 250 W

**MAX TORQUE** 70 Nm, 80 Nm peak

**SENSOR TYPE** Torque

**BATTERY** Yamaha 400 Wh, frametype,  
weight 2,9 kg

**CHARGER TYPE** 4 A

**CHARGE TIME** Up to 3 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** LCD

**POWER** Eco+: 50 %

Eco: 100 %

Standard: 190 %

High: 280 %

ULTRALIGHT/NEON YELLOW/BLACK MATT

13" - 33 cm 0115250130

BLACK/NEON YELLOW/NEON RED MATT


13" - 33 cm 0115250135

2199€

# E GRAVEL

Scegliere i tuoi itinerari senza doverli pianificare, affrontando sia sentieri off-road sia lunghi tratti di asfalto, è possibile con una gravel eBike. Ideale per viaggi avventurosi e perfettamente performante anche in città, la gravel è agile, affidabile e confortevole.

*With a gravel is possible to choose your own routes without planning them, tackle both off-road trails and long stretches of asphalt. Ideal for adventurous trips and perfectly performing even in the city, the gravel is agile, reliable and comfortable.*



# FLOW ADVENTURE

## I TECHNOLOGIES

Una eGravel veloce e resistente per viaggiare su strada e fuoristrada. L'elevata adattabilità, versatilità e robustezza la rendono perfetta per qualsiasi terreno e superficie. La geometria del telaio attentamente studiata, l'ergonomia e la selezione di componenti garantiscono maggiore stabilità e comfort su lunghe distanze. L'assistenza elettrica Fazua, aiuta a conquistare qualsiasi percorso.

*Fast and durable eGravel to travel on and off road. High adaptability, versatility, and ruggedness make it a perfect performer on any sort of terrain and surfaces. Carefully designed geometry of the frame, the ergonomics and selection of components guarantee extra stability and comfort over long distances. The clever Fazua electric system assist helps to conquer any route.*

### HIDDEN WELDING



*Cordone di saldatura completamente nascosto per un look più pulito e aggressivo, mantenendo la rigidità del telaio.*

*Completely hidden welding seam for a cleaner and more aggressive look, maintaining the frame stiffness.*

### TOP TUBE REMOTE CONTROL



*Display integrato nel tubo orizzontale che massimizza la presa alta della curva manubrio.*

*Top tube remote control that maximizes the handlebar curve high grip.*

### HIGH STIFFNESS SEAT TUBE



*Il motore è equipaggiato con una cover protettiva, evitando il declassamento della potenza.*

*The engine is equipped with a protective cover, avoiding power downgrading.*

### STIFF / FLEXIBLE SEAT AND CHAIN STAY



*Sviluppo di una forma differenziata tra foderi alti e foderi bassi per assicurare massimo comfort ed estrema reattività.*

*Development of a differentiated shape between seat and chain stay to ensure maximum comfort and extreme reactivity.*

PERNO PASSANTE POSTERIORE  
ETHRU AXLE REAR



PASSAGGIO CAVI INTERNO  
INTERNAL CABLE ROUTING



BATTERIA INTERNA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE



## 1 SHIMANO GRX

Nuovo gruppo pensato specificatamente per le gravel bike. La forma migliorata della leva freno offre più sensibilità e rende più efficace l'azione di frenata. Il deragliatore è compatibile con una vasta varietà di cassette.

*New groupset designed specifically for gravel bikes. Improved shape of the brake lever offers more sensitivity and increase the brake power. Rear derailleur is compatible with a big variety of cassette.*

## 2 SCHWALBE G-ONE BYTE

Il nuovo G-One Bite si sente a suo agio sulla strada, ma la sua vera forza la dimostra off-road. Il battistrada molto aperto ed i tasselli laterali rinforzati, consentono di ottenere stabilità in curva, dando a questo G-One il perfetto grip.

*This G-One feels pretty good on the road but its true strength shines through offroad. The open tread design and strong outer blocks provide stability when cornering and deliver this G-One the perfect "Bite".*

## 3 FSA NS ADVENTURE

La piega manubrio Adventure Compact è stata progettata per garantire comfort. Completamente ergonomicia, è dotata di una sezione ovale e costruita in alluminio a doppio spessore.

*The Adventure Compact handlebar from FSA has been designed to ensure comfort. Completely ergonomic, the HB Adventure Compact handlebar features an ergonomic oval section and is made in double butted.*

**WHISTLE**

# FLOW ADVENTURE

FAZUA

- EVATION 2.0
- EVATION 255 WH
- LED
- 11 S



E GRAVEL

**FRAME** Alu, hydroformed, smooth welding, Flat mount disc brake, tapered, 12x142 mm

**FORK** Carbon monocoque, Tapered, 12x100 mm, Flat mount disc brake

**HEADSET** FSA No.57E tapered 1"1/2

**CRANKSET** FSA CK-746, 40T

**REAR DERAILLEUR** Shimano GRX RD-R812

**SHIFTERS LEVERS** Shimano GRX ST-RX600 1x11s

**BRAKES** Shimano GRX BR-RX400, Rotor SM-RT64 160 mm/160 mm

**CASSETTE** Shimano CS-M7000 11s 11/42

**WHEELS** Shimano WH-RS370

**STEM** FSA ST-OS 97

**HANDLEBAR** FSA NS Adventure Compact

**SEATPOST** FSA Energy SBS

**SADDLE** Selle Royal Asphalt

**TYRES** Schwalbe G-One Bite, 700x40

**MOTOR** Fazua 36V, 250W

**MAX TORQUE** 60 Nm

**SENSOR TYPE** Torque

**BATTERY** Fazua Evation 255 Wh, weight 1,38 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 3,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY LED**

**POWER** Breeze: 75 %

River: 150 %

Rocket: 240 %

**ANTHRACITE/NEON YELLOW**

44 cm 0116820600

50 cm 0116820610

54 cm 0116820620


58 cm 0116820630

4399€

# |E ROAD

Le nuovissime eRoad con telaio in alluminio hanno kit elettrico Fazua per dominare la strada, per affrontare ripide pendenze con minor sforzo.

*The newest eRoad with aluminium frame is ePowered by Fazua to conquer the road, to face high slopes with less effort.*



# FLOW

## I TECHNOLOGIES

Nuove frontiere, nuovi obiettivi da raggiungere, nuove opportunità. Rendere elettrica una bici da strada significa andare contro ogni pregiudizio, sfidare i puristi ad intraprendere nuove vie. Un telaio pensato per ospitare motore e batteria all'interno del tubo diagonale, realizzato per resistere a potenze di picco elevate, generate sia dal ciclista che dal motore. Un telaio progettato per combinare le performance muscolari ed elettriche in un tutt'uno senza soluzione di continuità.

*New frontiers, new goals to be achieved, new opportunities. Making a road bike electric means going against all prejudices, challenging purists to take new paths. A frame designed to accommodate the engine and battery inside the diagonal tube, developed to withstand high peak powers, generated by both the cyclist and the engine. A frame designed to combine muscular and electrical performance in a seamless way.*



PERNO PASSANTE POSTERIORE  
ETHRU AXLE REAR

ATTACCO PINZA FLATMOUNT  
INTEGRATED FLATMOUNT

TUBO STERZO CONICO  
TAPERED HEAD TUBE

PASSAGGIO CAVI INTERNO  
INTERNAL CABLE ROUTING

BATTERIA INTERNA AL TELAIO  
BATTERY INSIDE THE DOWNTUBE

**WHISTLE**

# FLOW ALLOY

FAZUA

- EVATION 1.0
- EVATION 255 WH
- LED
- 22 S

**FRAME** Alu, hydroformed, smooth welding, Flat mount disc brake, tapered, 12x142 mm**FORK** Carbon monocoque, Tapered, 12x100 mm, Flat mount disc brake**HEADSET** FSA No.57E tapered 1"1/2**CRANKSET** FSA CK-746, 50-34T**REAR DERAILLEUR** Shimano Ultegra RD-R8000**SHIFTERS LEVERS** Shimano Ultegra ST-R8020 2x11s**BRAKES** Shimano Ultegra BR-R8070, Rotor SM-RT800 160 mm/160 mm**CASSETTE** Shimano CS-R7000 11s 11/32**WHEELS** Mavic Aksium Disc**STEM** Deda Elementi Zero**HANDLEBAR** Deda Elementi Zero**SEATPOST** Deda Elementi Zero**SADDLE** Fizik Antares R7**TYRES** Continental GranSport Race 700x25**4499€****MOTOR** Fazua 36V, 250W**MAX TORQUE** 60 Nm**SENSOR TYPE** Torque**BATTERY** Fazua Evation 255 Wh, weight 1,38 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 3,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY LED****POWER** Breeze: 75 %

River: 150 %


Rocket: 240 %

BLACK/NEON RED MATT	RED/BLACK MATT
44 cm	0116800100
50 cm	0116800110
54 cm	0116800120
58 cm	0116800130
44 cm	0116800103
50 cm	0116800113
54 cm	0116800123
58 cm	0116800133

# E TREKKING

Stare a contatto con la natura, esplorare, scoprire, combinando il relax con l'esercizio fisico. Solamente la tua eBike rende ogni viaggio più piacevole.

*Being surrounded by nature, discover, explore, combining relax with exercise. Your eBike makes every journey more pleasant.*



**1** | CAMBIO SHIMANO ACERA A 9  
9-SPEED SHIMANO ACERA GEARBOX



**2** | GOMME SCHWALBE ANTIFORATURA  
SCHWALBE ANTI-PUNCTURE TIRES



**3** | FANALI AXA CERTIFICATI  
AXA CERTIFIED LIGHTS



**4** | LA BATTERIA DA 500 WH  
500 WH BATTERY



**5** | PEDALI IN ALLUMINIO  
ALUMINUM PEDALS



**6** | FORCELLA BLOCCABILE  
LOCKABLE FORK



**Atala**

# CUTE EVO S MAN

ANTENO agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A10 LCD SMART CAN
- 28 8 S

**FRAME** Alu. Hydroformed 700c, integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Acera RD-M360**SHIFTERS LEVERS** Shimano SL-M315 PushPull, 8s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL**CASSETTE** Shimano HG200 8s 11-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte suspended 40mm, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**ANTHRACITE/LIGHT BLUE MATT**

49 cm 0115289230

54 cm 0115289233

**Atala**

# CUTE EVO S LADY

ANT3D agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A10 LCD SMART CAN
- 28 8S

**FRAME** Alu. Hydroformed 700c, integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Acera RD-M360**SHIFTERS LEVERS** Shimano SL-M315 PushPull, 8s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL**CASSETTE** Shimano HG200 8s 11-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte suspended 40mm, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km

level3: up to 70km – level4: up to 65km

level5: up to 55km

**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**ANTHRAHITE/BLACK MATT**

45 cm 0115289235

49 cm 0115289237

**Atala**

# CUTE EVO MAN

ANTONIO agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A15 LED SMART CAN
- 28 7S

**FRAME** Alu. Hydroformed 700c", integrated battery, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano SL-M315 PushPull, 7s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu, ahead, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Alloy rear carrier with spring, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED CAN, Power +/-**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**ULTRALIGHT/BLACK MATT**

49 cm 0115289270

**Atala**

# CUTE EVO LADY

ANT3D agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A15 LED SMART CAN
- 28 7 S

**FRAME** Alu. Hydroformed 700c, integrated battery, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano SL-M315 PushPull, 7s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu, ahead, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Alloy rear carrier with spring, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km

level3: up to 70km – level4: up to 65km

level5: up to 55km

**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED CAN, Power +/-**POWER ADJUST** 5 levels, Power adjust – level1: 50%

level2: 100% – level3: 150%

level4: 200% – level5: 250%

**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**ULTRALIGHT/LIGHT BLUE MATT**

45 cm 0115289275

1649€

**Atala**

# B-TOUR MAN

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERPACK 400
- PURION
- 28 9 S

**FRAME** Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA, 38T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/34**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Ahead Adjustable, Bar bore 31,8 mm**HANDLEBAR** Alu City, 640 mm**SEATPOST** Alu, 31,6 mm**SADDLE** Selle Royal Freccia**TYRES** Schwalbe Big Apple, K-Guard, Releflex, 700x50**MUDGUARDS** SKS A65R Aluflex**CHAINCOVER** SKS Chainbow**CARRIERS** Alu integrated**LIGHTS** F: Axa CompactLine LED 20 Lux - R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 50 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 400, frametype, weight  
2,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**BLACK/ULTRALIGHT/ANTHR. MATT**

49 cm 0115287800

54 cm 0115287810

59 cm 0115287820

**2349€**

**Atala**

# B-TOUR LADY

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERPACK 400
- PURION
- 28 9 S

**FRAME** Alu 700C, hydroformed, custom tubing, Integrated carrier, Internal routing, Forged interface**FORK** Suntour NEX-E25, 63 mm, Coil**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA, 38T**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 9s 11/34**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Ahead Adjustable, Bar bore 31,8 mm**HANDLEBAR** Alu City, 640 mm**SEATPOST** Alu, 31,6 mm**SADDLE** Selle Royal Freccia**TYRES** Schwalbe Big Apple, K-Guard, Releflex, 700x50**MUDGUARDS** SKS A65R Aluflex**CHAINCOVER** SKS Chainbow**CARRIERS** Alu integrated**LIGHTS** F: Axa CompactLine LED 20 Lux - R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 50 Nm**SENSOR TYPE** Torque**BATTERY** Powerpack 400, frametype, weight  
2,5 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**WHITE/ANTHRACITE/BLACK**

40 cm 0115287900

44 cm 0115287910


49 cm 0115287920

**2349€**

# |E URBAN

Spostarsi velocemente in città è sempre più difficile: strade intasate, metro affollatissime, treni in ritardo fanno ormai parte del passato. L'eBike ti permette questo e molto altro, diventando parte integrante della mobilità urbana.

*Moving quickly in the city is more and more difficult: congested streets, stuffy subways, train delays. Not any more. The eBike makes commuting easier, becoming an essential part of urban mobility.*



**Atala**

# B-EASY SL 500

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERTUBE 500
- INTUVIA
- 28 | 9 S**



**FRAME** Alu 700C, hydroformed, easy access, integrated battery, custom tubing,  
Internal routing, Forged interface

**FORK** Suntour NEX-E25, 63 mm, Coil, Lockout

**HEADSET** FSA No.10, semi-integrated, 1"1/8

**CRANKSET** Miranda Epsilon, Miranda 38T

**REAR DERAILLEUR** Shimano Altus RD-M2000 SGS, Shadow

**SHIFTERS LEVERS** Shimano Altus SL-M2010 Rapidfire, 9s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 9s 11/34

**PEDALS** Alu TKK

**HUBS** Shimano TX505, CL, 32h

**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready

**STEM** Satori UP3e, Internal routing, Bar bore 31,8 mm

**HANDLEBAR** Satori Noirette City, 630 mm

**SEATPOST** Satori Harmony, Suspended, 31,6 mm

**SADDLE** Selle Royal Rio Plus

**TYRES** Schwalbe Energizer Plus, Greenguard 3 mm, Reflex, 700x50

**MUDGUARDS** SKS A65R

**CHAINCOVER** SKS Chainbow

**CARRIERS** Alu, without brackets

**LIGHTS** F: Axa CompactLine LED 35 Lux – R: Axa BlueLine LED Lightguide

**MOTOR** Active Plus 36 V, 250 W

**MAX TORQUE** 50 Nm

**SENSOR TYPE** Torque

**BATTERY** Powertube 500 Vertical, frametype,  
weight 2,9 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 7,5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** INTUVIA

**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**BLACK/NEON GREEN MATT**

45 cm 0115288600

50 cm 0115288610

2899€

**Atala**

# B-EASY S LTD

**BOSCH**

- ACTIVE PLUS CRUISE
- POWERTUBE 400
- PURION
- 28 8 S**

**FRAME** Alu 700C, hydroformed, easy access, integrated battery, custom tubing,

Internal routing, Forged interface

**FORK** Suntour NEX, 63 mm, Coil**HEADSET** FSA No.10, semi-integrated, 1"1/8**CRANKSET** FSA, 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano Tourney SL-RS45, Revoshift, 8s**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm**CASSETTE** Shimano CS-HG200 8s 11/32**PEDALS** Alu TKK**HUBS** Shimano TX505, CL, 32h**RIMS** Rodi Blackrock23, 23x622, 32h, eBike ready**STEM** Ahead Adjustable, Bar bore 25,4 mm**HANDLEBAR** Alu City, 630 mm**SEATPOST** Alu, 31,6 mm**SADDLE** Selle Royal Wave RVS**TYRES** Schwalbe Energizer Plus, Greenguard 3 mm, Reflex, 700x50**MUDGUARDS** SKS A65R**CHAINCOVER** SKS Chainbow**CARRIERS** Steel powder coated**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide**MOTOR** Active Plus 36 V, 250 W**MAX TORQUE** 50 Nm**SENSOR TYPE** Torque**BATTERY** Powertube 400 Vertical, frametype,  
weight 2,9 kg**CHARGER TYPE** 2 A**CHARGE TIME** Up to 6,5 hours**MAX ASSISTED SPEED** 25 km/h**DISPLAY** PURION**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**BLACK/NEON GREEN MATT**

45 cm 0115288750

50 cm 0115288760

**2499€**

**Atala**

# B-EASY XWAVE

**BOSCH**  
 ⚙ ACTIVE PLUS CRUISE  
 ☒ POWERPACK 400  
 ☐ PURION  
 28 7 S



**FRAME** Alu 700C, easy access, custom tubing, Internal routing, Forged interface

**FORK** Suntour NEX HLO P-700C, 50 mm, Hydraulic lockout

**HEADSET** FSA No.10, semi-integrated, 1"1/8

**CRANKSET** FSA, 38T

**REAR DERAILLEUR** Shimano Nexus SG-C3000

**SHIFTERS LEVERS** Shimano Nexus SL-C3000, 7s

**BRAKES** Alu V-Brake

**CASSETTE** Shimano 18T

**PEDALS** Alu TKK

**HUBS** Shimano DH-3N31, F, Nexus R, 32h

**RIMS** Alu, double wall, 32h

**STEM** Byte Ahead Alu, adjustable

**HANDLEBAR** Byte Alu City

**SEATPOST** Byte Alu, 31,6 mm

**SADDLE** Selle Royal Wave RVS

**TYRES** Schwalbe Citizen, Relfex, 700x40

**MUDGUARDS** SKS AluFlex

**CHAINCOVER** Herrmans B-Slyde

**CARRIERS** Alu battery carrier

**LIGHTS** F: Trelock LS-884 30 Lux / R: Busch & Mueller TopLight Flat

**MOTOR** Active Plus 36 V, 250 W

**MAX TORQUE** 50 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 400, frametype, weight 2 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 40 %

Tour: 100 %

Sport: 180 %

Turbo: 270 %

**WHITE**

45 cm 0115273500

# Atala

# B-EASY

 **BOSCH**  
 ⚙ ACTIVE CRUISE  
 🔋 POWERPACK 300  
 ⚡ PURION  
 28 7S



**FRAME** Alu 700C, hydroformed, easy access, custom tubing, Integrated carrier, Internal routing, Forged interface

**FORK** Suntour NEX, 63 mm, Coil

**HEADSET** FSA No.10, semi-integrated, 1"1/8

**CRANKSET** FSA, 38T

**REAR DERAILLEUR** Shimano RD-TY500D

**SHIFTERS LEVERS** Shimano Tourney SL-RS36, Revoshift, 7s

**BRAKES** Shimano BR-MT200, Rotor SM-RT10 180 mm/180 mm

**CASSETTE** Shimano CS-HG200 7s 12/32

**PEDALS** Alu TKK

**HUBS** F: Shimano TX505 – R: Shimano TY505, CL, 32h

**WHEELS** Rodi Blackrock23, 23x622, 32h, eBike ready

**HANDLEBAR** Ahead Adjustable, Bar bore 25,4 mm

**SEATPOST** Alu City, 630 mm

**SADDLE** Alu, 31,6 mm

**TYRES** Selle Royal Wave RVS

**MUDGUARDS** Schwalbe Big Apple, K-Guard, Relfex, 700x50

**CHAINCOVER** SKS A65R

**CARRIERS** Alu integrated

**LIGHTS** F: Axa CompactLine LED 20 Lux – R: Axa BlueLine LED Lightguide

**MOTOR** Active 36 V, 250 W

**MAX TORQUE** 40 Nm

**SENSOR TYPE** Torque

**BATTERY** Powerpack 300, frametype, weight 2 kg

**CHARGER TYPE** 2 A

**CHARGE TIME** Up to 5 hours

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** PURION

**POWER** Eco: 40 %

Tour: 100 %

Sport: 170 %

Turbo: 250 %

**ANTHRACTITE/NEON GREEN MATT**

48 cm 0115289000

52 cm 0115289010

1899€

**Atala**

# CULT EVO SL

ANT3D agile

- 80Nm/Torque Smart
- 504Wh
- ATALA A10 LCD SMART CAN
- 26 8 S

**FRAME** Alu. Hydroformed 26", integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 26", alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Acera RD-M360**SHIFTERS LEVERS** Shimano Tourney SL-RS45 RevoShift, 8s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 180 mm CL**CASSETTE** Shimano HG200 8s 12-32**PEDALS** Alu TKK**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 26", double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, City**SEATPOST** Byte suspended 40mm, 27,2mm**SADDLE** Selle Royal Aurora w/elastomer**TYRES** Schwalbe Road Cruiser 26"x1,75", with reflecting line, puncture proof**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 504Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 170km – level2: up to 110km  
level3: up to 85km – level4: up to 80km  
level5: up to 65km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**BLACK/SILVER MATT**

45 cm 0115289100

**Atala**

# CULT EVO S 28"

ANTONIO agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A10 LCD SMART CAN
- 28 7S

**FRAME** Alu. Hydroformed 700c, integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 700c, double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Aurora w/elastomer**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**ULTRALIGHT/NEON GREEN MATT**

45 cm 0115289135

**Atala**

# CULT EVO S 26"

ANTONIO agile

- 80Nm/Torque Smart
- 418Wh
- ATALA A10 LCD SMART CAN
- 26 7S

**FRAME** Alu. Hydroformed 26", integrated battery, integrated carrier, internal cables**FORK** Suntour NEX 26", alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Altus RD-M310**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX505 32h, CL, quick release**RIMS** Rodi 26", double wall w/eylets, 32h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Aurora w/elastomer**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Integrated with frame, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display and twilight sensor**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control  
Speed information – Battery information**ULTRALIGHT/NEON GREEN MATT**

45 cm 0115289130

**Atala**

# CULT EVO

ANT3D agile

- ⚙ 80Nm/Torque Smart
- ⚡ 418Wh
- ⌚ ATALA A15 LED CAN, POWER +/-
- ⌚ 26 7S

**FRAME** Alu. Hydroformed 26", integrated battery, internal cables**FORK** Hi-Ten Tig 26"**HEADSET** FSA integrated 1"1/8**CRANKSET** AM80 alu crank arm, Miche 38T**REAR DERAILLEUR** Shimano Tourney RD-TY500**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s**BRAKES** Promax alu, V-Brake, levers 3 fingers**CASSETTE** Shimano HG200 7s 12-32**PEDALS** Resin antislip**HUBS** Shimano TX500 36h, quick release**RIMS** Beretta 26", double wall w/eylets, 36h**STEM** Byte alu, ahead, adjustable**HANDLEBAR** Byte steel City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Steel rear carrier with spring, 25kg load**LIGHTS** Axa front (15 lux) and rear LED, controlled by display**MOTOR** AM80 Agile CAN, 36V 250W**MAX TORQUE** 80 Nm**SENSOR TYPE** Torque**BATTERY** Li-Ion 36V, 418Wh, on frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED CAN, Power +/-**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**WHITE/NEON RED**

45 cm 0115289170

1569€

# CLUB

## I TECHNOLOGIES

Club è la nuova eFolding della gamma 2020. Pieghevole con il telaio in alluminio, pensata sia per il commuting urbano sia per veloci gite fuori porta. Sviluppata per essere compatta e leggera, è velocissima da aprire e chiudere e facilmente trasportabile sui mezzi pubblici.

*Club is the new eFolding of the 2020 range. Foldable with an aluminum frame, it is designed both for urban commuting and for quick trips out of town. Developed to be compact and light, it is very fast to open and close and easily transportable on public transport.*



RUOTA DA 20"  
20 "WHEEL



MOTORE CENTRALE COMPATTO AM80 AGILE  
AM80 COMPACT CENTRAL MOTOR AGILE



PORTAPACCHI ALLUMINIO, PARAFANGHI,  
COPRICATENA E LUCI, PER USO URBANO  
ALUMINUM LUGGAGE RACK, MUDGUARDS,  
CHAINGUARD AND LIGHT, FOR URBAN USE



REGGISELLA TELESCOPICO  
TELESCOPIC SEATPOST



FRENI A DISCO IDRAULICO  
HYDRAULIC DISC BRAKES



BATTERIA INTEGRATA DA 313 WH  
313 WH BUILT-IN BATTERY



GOMME SCHWALBE ANTIFORATURA  
SCHWALBE ANTI-PUNCTURE TIRES



FANALI AXA CERTIFICATI  
AXA CERTIFIED LIGHTS



PEDALI PIEGHEVOLI  
FOLDING PEDALS



# Atala

# CLUB

**ANT30 agile**

- ⚙ 80Nm/Torque
- ⚡ 313Wh
- ▢ ATALA A15 LED CAN
- ⌚ 7 S



**FRAME** Alu 20", foldable, with integrated battery

**FORK** Hi-Ten Tig 26"

**HEADSET** Integrated 1"1/8, threaded, with cap

**CRANKSET** AM80 alu 152mm, FSA 44T

**REAR DERAILLEUR** Shimano Tourney RD-TY500

**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s

**BRAKES** Shimano BR-MT200 hydraulic disc, Rotor 160 mm INT

**CASSETTE** Shimano HG200 7s 12-32

**PEDALS** Resin foldable

**HUBS** Shimano TX505 32h, CL, quick release

**RIMS** Rodi 20", double wall w/eylets, 32h, disc

**STEM** Alu, foldable, adjustable

**HANDLEBAR** Alu, 30mm rise

**SEATPOST** Alu with clamp, 34,9mm, telescopic

**SADDLE** Selle Royal Lancia

**TYRES** Schwalbe Big Apple 20"x2,00", with reflecting line, puncture proof

**MUDGUARDS** Single stay safety-clip

**CHAINCOVER** Plastic, L type

**CARRIERS** Alu rear carrier with spring

**LIGHTS** Axa front (15 lux) and rear LED, controlled by display

**MOTOR** AM80 Agile CAN, 36V 250W

**MAX TORQUE** 80 Nm

**SENSOR TYPE** Torque

**BATTERY** Li-Ion 36V, 313Wh, inside down tube, Samsung cells with BMS

**RANGE** level1: up to 140km – level2: up to 90km  
level3: up to 70km – level4: up to 65km  
level5: up to 55km

**CHARGER TYPE** 2 A

**CHARGER TIME** 100%: 4h50m / 80%: 3h10m

**MAX ASSISTED SPEED** 25 km/h

**DISPLAY** Atala A15 LED CAN, Power +/-

**POWER ADJUST** 5 levels, Power adjust – level1: 50%  
level2: 100% – level3: 150%  
level4: 200% – level5: 250%

**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control

**ULTRALIGHT/NEON RED MATT**

33 cm 0115289300

1599€

**Atala**

# E-SPIKE EVO MAN

ecologic

⚙ 45Nm  
⚡ 418Wh  
LCD A10  
⌚ 7S

**FRAME** Alu. 700c, integrated battery, integrated HT, disc brake**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** Byte alu 42T cartridge**REAR DERAILLEUR** Shimano Tourney RD-TY500**SHIFTERS LEVERS** Shimano SL-M310 PushPull, 7s**BRAKES** Tektro Aries MD-M300, Mechanic disk, Rotor 160 mm, with brake lever switch**FREEWHEEL** Shimano Tourney 7s 14-28**PEDALS** Resin antislip**HUBS** Alu 36h, quick release front, motor on rear, INT**RIMS** Beretta 700c alu, double wall w/eylets, 36h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** SKS Chainbow**CARRIERS** Alloy rear carrier with spring, 25kg**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 45Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 418Wh, inside the frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 100km – level2: up to 80km  
level3: up to 75km – level4: up to 55km  
level5: up to 45km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 27Nm – level2: 14km, 30Nm  
level3: 17km, 33Nm – level4: 21km, 39Nm  
level5: 25km, 45Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control – Speed information  
Battery information**ULTRALIGHT/NEON GREEN MATT**

49 cm 0115289500

**Atala**

# E-SPIKE EVO LADY

ecologic

⚙ 45Nm  
⚡ 418Wh  
LCD A10  
⌚ 7S

**FRAME** Alu. 700c, integrated battery, integrated HT, disc brake**FORK** Suntour NEX 700c, alu with alu crown, 50mm**HEADSET** FSA integrated 1"1/8**CRANKSET** Byte alu 42T cartridge**REAR DERAILLEUR** Shimano Tourney RD-TY500**SHIFTERS LEVERS** Shimano SL-M310 PushPull, 7s**BRAKES** Tektro Aries MD-M300, Mechanic disk, Rotor 160 mm, with brake lever switch**FREEWHEEL** Shimano Tourney 7s 14-28**PEDALS** Resin antislip**HUBS** Alu 36h, quick release front, motor on rear, INT**RIMS** Beretta 700c alu, double wall w/eylets, 36h, disc**STEM** Byte alu over, ahead, adjustable**HANDLEBAR** Byte alu over, TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Lancia**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** SKS Chainbow**CARRIERS** Alloy rear carrier with spring, 25kg**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 45Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 418Wh, inside the frame, Samsung cells with Smart BMS CAN**RANGE** level1: up to 100km – level2: up to 80km  
level3: up to 75km – level4: up to 55km  
level5: up to 45km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h / 80%: 4h40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A10 LCD Smart CAN, with remote control**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 27Nm – level2: 14km, 30Nm  
level3: 17km, 33Nm – level4: 21km, 39Nm  
level5: 25km, 45Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control – Speed information  
Battery information**ULTRALIGHT/NEON GREEN MATT**

45 cm 0115289550

1429€

**Atala**

# E-RUN FS 360 MAN

ecologic

- 35Nm
- 360Wh
- A15 LED
- 6S

**FRAME** Alu. Formed 700c, trekking, internal cables**FORK** HL CH-187 700c, alu with alu crown, 40mm**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 700c, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier, 25kg**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 360Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 85km – level2: up to 60km  
level3: up to 50km – level4: up to 40km  
level5: up to 35km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 5h 15m / 80%: 4h**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**BLACK/NEON GREEN MATT**

49 cm 0115290300

**Atala**

# E-RUN FS 360 LADY

ecologic

- ⚙ 35Nm
- ⚡ 360Wh
- ▢ A15 LED
- ⌚ 6S

**FRAME** Alu. Formed 26", easy access, internal cables**FORK** HL CH-187 26", alu with alu crown, 40mm**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 26" alu, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier, 25kg / front carrier**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 360Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 85km – level2: up to 60km  
level3: up to 50km – level4: up to 40km  
level5: up to 35km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 5h 15m / 80%: 4h**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**WHITE/NEON GREEN**

45 cm 0115290400

1179€

**Atala**

# E-RUN 500 MAN

ecologic

- 35Nm
- 518Wh
- A15 LED
- 6S

**FRAME** Alu. Formed 700c, trekking, internal cables**FORK** Hi-Ten Tig 700c**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 700c, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel TKK**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Trento 700x38c**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier with spring, 25kg**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 120km – level2: up to 90km  
level3: up to 73km – level4: up to 58km  
level5: up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 7h 30m / 80%: 5h 40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**ULTRALIGHT/NEON RED**

49 cm 0115290100

**Atala**

# E-RUN 500 26"

ecologic

⚙ 35Nm  
⚡ 518Wh  
💡 A15 LED  
⌚ 26 | 6 S

**FRAME** Alu. Formed 26", easy access, internal cables**FORK** Hi-Ten Tig 26"**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TY300**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 26" alu, double wall w/eylets, 36h**STEM** Byte alu, adjustable**HANDLEBAR** Byte steel City**SEATPOST** Byte alu with clamp, 27,2mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Battery rear carrier with spring, 25kg / front carrier**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 518Wh, under carrier, with Smart BMS, integrated rear light**RANGE** level1: up to 120km – level2: up to 90km  
level3: up to 73km – level4: up to 58km  
level5: up to 50km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 7h 30m / 80%: 5h 40m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**WHITE/NEON GREEN**

45 cm 0115290200

**ANTHRACITE/ORANGE MATT**

45 cm 0115290203

1149€

**Atala**

# EXTRAFOLDING

ecologic

⚙ 80Nm  
⚡ 522Wh  
LCD  
20 7S

**FRAME** Alu 20" FAT, foldable**FORK** Susp 30mm 20"x4", alloy crown**HEADSET** Integrated 1"1/8, threaded**CRANKSET** Alu 152mm, 36T, cartridge**REAR DERAILLEUR** Shimano Tourney RD-FT35D**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s**BRAKES** Hydraulic disk, Rotor 160 mm**FREEWHEEL** Shimano Tourney 7s 14-28**PEDALS** Resin foldable**HUBS** Alu 36h, axle 135 F/175 R, motor on rear**RIMS** 20" alu, double wall, 36h**STEM** Alu, foldable, adjustable**HANDLEBAR** Alu, flat**SEATPOST** Alul with clamp, 27,2mm, 400mm long**SADDLE** City**TYRES** 20"x4"**MUDGUARDS** Steel painted**CHAINCOVER** Plastic L type**CARRIERS** Alu integrato al telaio**LIGHTS** Spanninga front (16Lux) and rear LED, controlled by display**MOTOR** Bafang, brushless 36V 250W, on rear hub**MAX TORQUE** 80Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 522Wh, Samsung cells behind seat tube, with BMS**RANGE** Up to 100km**CHARGER TYPE** 2 A**CHARGER TIME** 100%:: 7h 40m / 80%: 5h 50m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** LCD**POWER ADJUST** 5 levels, Speed adjust**OTHER FUNCTIONS** Soft start: 0 - 6km/h, with no pedaling  
External light control - Speed information**BLACK/NEON YELLOW MATT**

43 cm 0115290700

**NEON GREEN/BLACK MATT**

43 cm 0115290700

**Atala**

# E-FOLDING

ecologic

- ⚙ 35Nm
- ⚡ 317Wh
- ▢ A15 LED
- ⌚ 7S

**FRAME** Alu 20", foldable, with integrated battery**FORK** Hi-Ten Tig 20"**HEADSET** Integrated 1"1/8, threaded, with cap**CRANKSET** Alu 152mm, 42T**REAR DERAILLEUR** Shimano Tourney RD-TF35**SHIFTERS LEVERS** Shimano Tourney SL-RS35 RevoShift, 7s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 7s 14-28**PEDALS** Resin foldable**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 20" alu, double wall w/eylets, 36h**STEM** Alu, foldable, adjustable**HANDLEBAR** Alu, flat**SEATPOST** Alu with clamp, 34mm, 500mm long**SADDLE** Selle Royal Mach**TYRES** 20"x1,75" CST**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Plastic, L type**CARRIERS** Alu rear carrier with spring**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 317Wh, inside down tube, Samsung cells with BMS**RANGE** level1: up to 75km – level2: up to 55km  
level3: up to 45km – level4: up to 36km  
level5: up to 30km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 4h50m / 80%: 3h10m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**BLACK/NEON GREEN MATT**

33 cm 0115290800

E URBAN

1249€

129

**Atala**

# E-WAY 36 VOLT

ecologic

- ⚙ 35Nm
- ⚡ 360Wh
- ▢ A15 LED
- 26 6S

**FRAME** Hi-Ten Tig 26", easy access, internal cables**FORK** Hi-Ten Tig 26"**HEADSET** Steel 1"1/8, threaded, with cap**CRANKSET** Byte steel 42T cartridge, with cap**REAR DERAILLEUR** Shimano Tourney RD-TZ500**SHIFTERS LEVERS** Shimano Tourney SL-RS36 RevoShift, 6s**BRAKES** Promax alu, V-Brake, with brake lever switch**FREEWHEEL** Shimano Tourney 6s 14-28**PEDALS** Resin City**HUBS** Alu 36h, Shimano front, motor on rear**RIMS** Beretta 26" alu, double wall w/eylets, 36h**STEM** Alu**HANDLEBAR** Byte steel City**SEATPOST** Alu, 25,4mm**SADDLE** Selle Royal Wave**TYRES** Byte Garda 26"x1,75"**MUDGUARDS** Single stay safety-clip**CHAINCOVER** Steel painted, L type**CARRIERS** Rear carrier, 25kg / front carrier**LIGHTS** Front and rear LED, controlled by display**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 35Nm**SENSOR TYPE** Speed sensor w/12 pulses**BATTERY** Li-Ion 36V, 360Wh, behind seat tube, with BMS**RANGE** level1: up to 85km – level2: up to 60km  
level3: up to 50km – level4: up to 40km  
level5: up to 35km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 5h15m / 80%: 4h**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A15 LED UART, Power +/- Light**POWER ADJUST** 5 levels, Speed/Torque adjustlevel1: 11km, 26Nm – level2: 14km, 28Nm  
level3: 17km, 30Nm – level4: 21km, 32Nm  
level5: 25km, 35Nm**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling  
External light control**WHITE/NEON GREEN**

42 cm 0115290603

**BLACK/LIGHT BLUE MATT**

42 cm 0115290600

**Atala**

# E-CARGO

ecologic

⚙ 25Nm  
⚡ 418Wh  
▢ A790 LED  
20 16 1S

**FRAME** Hi-Ten Tig Easy Access, Fix-Flex system**FORK** Hi-Ten Tig 20"**HEADSET** Steel 1", threaded**CRANKSET** Alu, 44T**BRAKES** Front: Promax alu, V-Brake con stazionamento – Rear: Drum**FREEWHEEL** 16T**PEDALS** Resin TKK**HUBS** Front: Motor – Rear: Cargo special**STEM** Alu, adjustable**HANDLEBAR** Steel City**SEATPOST** Alu, 25,4mm**SADDLE** Trekking with elastomers**TYRES** Front: 20"x1,95", e-bike – Rear: 16"x2,125", e-bike**MUDGUARDS** Steel painted**CHAINCOVER** Steel painted, L type**CARRIERS** Big rear basket 30L**MOTOR** Brushless 36V 250W, on rear hub**MAX TORQUE** 25Nm**SENSOR TYPE** Speed sensor**BATTERY** Li-Ion 36V, 418Wh, under carrier, Samsung cells with BMS**RANGE** Up to 60km**CHARGER TYPE** 2 A**CHARGER TIME** 100%: 6h30m / 80%: 4h30m**MAX ASSISTED SPEED** 25 km/h**DISPLAY** Atala A790, with LED, On-Off, Power**POWER ADJUST** 3 levels, Speed adjust**OTHER FUNCTIONS** Soft start: 0 – 6km/h, with no pedaling**BLUE**

42 cm 115239502

1699€

# E-BIKE 2020

Distribuye



Ctra. Montmeló 56-58

08403 GRANOLLERS - BCN (SPAIN)

Teléfono: 93 568 92 00

E-mail: comercial@pous.net

[www.atala.it](http://www.atala.it)

